

# Epson TM-P60II Series

## DATASHEET



The Epson TM-P60II is a second-generation, wireless mobile receipt printer from the world's leading POS printer manufacturer <sup>1</sup>. Offering a brilliantly simple printing solution, the hand-held TM-P60II prints directly from mobile devices<sup>2</sup> – no drivers needed.

Unique, built-in intelligence, called Epson ePOS-Print, enables the TM-P60II to receive XML commands from web applications, and to print directly from popular web browsers. This makes integration and maintenance easy.

To help serve customers quickly, the high-performance TM-P60II prints receipts at up to 100mm/sec. Drop-in paper loading ensures there are no delays.

The TM-P60II is designed for maximum reliability, with a rugged case. Its battery lasts for up to 46 hours in Bluetooth mode, and up to four batteries can be charged simultaneously using the optional charging unit.

## KEY FEATURES

- Wireless, hand-held POS printing
- Prints receipts at up to 100mm/sec
- Compact and robust design
- XML command compatible
- No drivers to install or update

## PRODUCT SPECIFICATIONS

Print method	Thermal line printing
Print speed	100 mm/sec
<b>FONTS &amp; STYLES</b>	
Column capacity	Paper width 60 mm
<b>PAPER</b>	
Paper size	58.00 ± 60.00 (W) mm x dia 51.00 mm
<b>FONTS &amp; STYLES</b>	
Print Speed	100 mm/sec
Print Speed receipt	100 mm/sec
Printing Font	ANK
Column capacity receipt	Paper width 60 mm
Dot density	203 dpi x 203 dpi
Color Printing	Black
<b>INTERFACES</b>	
Interfaces	USB 2.0 Type Mini-B, Wireless LAN IEEE 802.11b/g/n (optional), Bluetooth (optional)
<b>DATA BUFFER</b>	
Data Buffer	0 kB or 4,096 Bytes
<b>POWER</b>	
Power Supply	PS-11
Battery Life	WiFi 14 Hours, WiFi (Energy saving mode) 27 Hours, Bluetooth 46 Hours
Operating voltage	24 V
<b>GENERAL</b>	
Product dimensions	103 x 159 x 65 mm (Width x Depth x Height)
Product weight	0.63 kg
Color	Black (EBCK)
Noise Level	Operation: 53 dB (A)
Humidity	Operation 10% - 90%
<b>STANDARDS COMPLIANCE</b>	
EMC Standards	FCC class A, CE marking
Safety standards	UL, CSA, EN
<b>OTHER FEATURES</b>	
Cutter	Partial Cut
<b>OTHER</b>	
Warranty	12 months Carry in

## LOGISTICS INFORMATION

Dimensions Single Carton	229 x 185 x 104 mm
Carton Weight	1 Kg
Multiple Order Quantity	1 Units
Pallet Size Euro	432 Units (54 x 8)

## Epson TM-P60II Series

### WHAT'S IN THE BOX

- Battery (OY-BY60II)
- Belt clip
- Cable fixation saddle
- Main unit
- Roll paper
- USB cable

### OPTIONAL ACCESSORIES

- OT-CH60II (374): Multi battery charger for TM-P60II C32C825374
- PS-11 (375): Power supply for TM-P60II C32C825375
- OT-BY60II (091): Lithium-ion battery for TM-P60II C32C831091



For more information please contact:

Telephone: 0871 222 6702 (UK)+  
01 436 7742 (Republic of Ireland)  
E-mail: enquiries@epson.co.uk  
Fax: 0871 222 6740

Web: [www.epson.co.uk](http://www.epson.co.uk)  
[www.epson.ie](http://www.epson.ie)

+ Calls cost 10p per minute plus network extras.

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

1. Source: Futuresource Consulting Limited,  
[www.futuresource-consulting.com](http://www.futuresource-consulting.com)

2. ePOS-Print is available in WLAN mode only

# EPSON®



[www.L-TronDirect.com](http://www.L-TronDirect.com)

800-830-9523

[info@L-Tron.com](mailto:info@L-Tron.com)

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

[www.L-Tron.com](http://www.L-Tron.com)

Get in touch with us  
on social media!

