

POSMicro

[POINT OF SALE MADE SIMPLE]

For Help Call
1.800.241.6264




Touch Dynamic CD Series Data Sheet

More information available at POSMicro.com

QUESTIONS?

Ask the experts at POSMicro.com.

 **1.800.241.6264**

 **Live Chat Now**

 support@POSMicro.com

Monday - Friday 6 AM to 5 PM Pacific Time

BULK DISCOUNTS

FREE SHIPPING*

**SE HABLA
ESPAÑOL**



*Free ground shipping to the continental USA on orders over \$100.

Cash Drawers

Stylish design with a rich set of features



Key Features

- Metal/Plastic bill weights
- Dual drawer splitter (1616 & 1915)
- Media slots
- Under counter mounting (options)

3 Sizes

- 16.2" W x 16.4" D x 4.3" H
- 18" W x 15.2" D x 4.3" H
- 18" W x 18.25" D x 4.3" H

Designed to fit with style

Touch Dynamic is pleased to offer three cash drawer models that are POS hardened to provide the best quality and dependability. Touch Dynamic's cash drawers are competitively priced and include features such as multifunction lock and drawer status reporting found only in tier one models. These drawers are designed to fit with any Touch Dynamic's systems and Touch Dynamic's printer both on top of the cash drawer, minimizing the counter space needed.





Key Features of all cash drawers models

- It adapts to most POS platforms
- Four function lock - It offers several levels of security: locked closed, locked open, online, manual open
- Two Media Slots
- Standard 5 x 5 Removable Till
- Under counter mounting (options)

Model 1616

- Size - 16.2" W x 16.4" D x 4.3" H
- Plastic bill weights
- Dual media slots
- Optional dual drawer splitter
- Modular cable connection back of drawer

Model 1915

- Size - 18" W x 15.2" D x 4.3" H
- Metal bill weights
- Dual media slots
- Optional dual drawer splitter
- Modular cable connection underneath drawer
- Under counter mounting (optional)

Model 2000

- Size - 18" W x 18.25" D x 4.3" H
- Plastic bill weights
- Dual media slots
- Modular cable
- Modular cable connection underneath drawer
- Locking lid/Till cover (optional)
- Under counter mounting (optional)

